



QQSAR is a novel group (fragment) based QSAR method developed by VLife Technologies Pvt. Ltd., which significantly enhances capability of conventional QSAR. It studies relation of molecular fragments of interest and the variation in their biological response while considering interactions between fragments through cross-term fragment descriptors. QQSAR provides site specific clues for designing new molecules and quantitatively predicting their activity.



Molecular fragmentation schemes


- Auto: Template based approach particularly for congeneric series of molecules
- Manual: User defined scheme particularly for non congeneric series of molecules

Fragments generated using these schemes include neighboring group participation

Advantage QQSAR

Description	2D QSAR	3D QSAR	QQSAR
Conformation independent	✓	✗	✓
Alignment independent	✓	✗	✓
Fast descriptor calculation	✓	✓	✓
Interaction descriptors	✗	✗	✓
Clues for NCE design	✗	✓	✓
Site specific clues for NCE design	✗	✗	✓
Screening of fragment databases	✗	✗	✓
Generating NCE Library	✗	✗	✓

Addressing the inverse QSAR problem through QQSAR



QQSAR works systematically to solve the inverse QSAR problem:

- Identifying important molecular sites and their corresponding properties (along with interaction terms)
- Deriving ranges of descriptors that are found to be important in QQSAR model(s)
- Searching for fragments that correspond to these ranges within fragment databases
- Generating new molecule designs by combining such fragments

All trademarks or registered trademarks are the property of their respective owners. ©2010 VLife Sciences Technologies Pvt. Ltd. All rights reserved. Specifications are subject to change without notice. VLife Sciences Technologies Pvt. Ltd. is not responsible for any inadvertent errors.